

WARNING: LIFE TIME IS LIMITED, IT CAN BE USED FOR ABOUT 2000 TIMES NORMALLY. THE ACCURACY NEEDS TO BE CHECKED REGULARLY



METRIC AEROSPACE THREAD PLUG GAUGES



4230-20PH

- Standard ISO10959
- Supplied with Go and No-Go gauges together
- Supplied with manufacturer inspection certificate

Code example:
“-3GH” stands for “4230-3GH”

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H6H
MJ1.6	0.35	-1D6DH
MJ1.8	0.35	-1D8DH
MJ2	0.4	-2EH
MJ2.2	0.45	-2D2FH
MJ2.5	0.35	-2D5DH
	0.45	-2D5FH
MJ3	0.35	-3DH
	0.5	-3GH
MJ3.5	0.35	-3D5DH
	0.6	-3D5IH
MJ4	0.5	-4GH
	0.7	-4KH
MJ4.5	0.5	-4D5GH
	0.75	-4D5LH
MJ5	0.5	-5GH
	0.8	-5MH
MJ5.5	0.5	-5D5GH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ6	0.75	-6LH
	1	-6PH
MJ7	0.75	-7LH
	1	-7PH
MJ8	0.75	-8LH
	1	-8PH
	1.25	-8QH
MJ9	0.75	-9LH
	1	-9PH
	1.25	-9QH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ10	0.75	-10LH
	1	-10PH
	1.25	-10QH
	1.5	-10RH
MJ11	0.75	-11LH
	1	-11PH
	1.25	-11QH
	1.5	-11RH
MJ12	1	-12PH
	1.25	-12QH
	1.5	-12RH
	1.75	-12SH
MJ14	1	-14PH
	1.25	-14QH
	1.5	-14RH
	2	-14TH
MJ15	1	-15PH
	1.5	-15RH
MJ16	1	-16PH
	1.5	-16RH
	2	-16TH
MJ17	1	-17PH
	1.5	-17RH
MJ18	1	-18PH
	1.5	-18RH
	2	-18TH
	2.5	-18UH
MJ20	1	-20PH
	1.5	-20RH
	2	-20TH
	2.5	-20UH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ22	1	-22PH
	1.5	-22RH
	2	-22TH
	2.5	-22UH
MJ24	1	-24PH
	1.5	-24RH
	2	-24TH
	3	-24VH
MJ25	1	-25PH
	1.5	-25RH
	2	-25TH
MJ26	1.5	-26RH
MJ27	1	-27PH
	1.5	-27RH
	2	-27TH
	3	-27VH
MJ28	1	-28PH
	1.5	-28RH
	2	-28TH
MJ30	1	-30PH
	1.5	-30RH
	2	-30TH
	3	-30VH
	3.5	-30NH
MJ32	1.5	-32RH
	2	-32TH
MJ33	1.5	-33RH
	2	-33TH
	3	-33VH
	3.5	-33NH
MJ35	1.5	-35RH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ35	2	-35TH
	1.5	-36RH
MJ36	2	-36TH
	3	-36VH
	4	-36XH
MJ38	1.5	-38RH
MJ39	1.5	-39RH
	2	-39TH
	3	-39VH
	4	-39XH
MJ40	1.5	-40RH
	2	-40TH
	3	-40VH
MJ42	1.5	-42RH
	2	-42TH
	3	-42VH
	4	-42XH
	4.5	-42YH
MJ45	2	-45TH
	3	-45VH
	4	-45XH
	4.5	-45YH
MJ48	1.5	-48RH
	2	-48TH
	3	-48VH
	4	-48XH
	5	-48ZH
MJ50	1.5	-50RH
	2	-50TH
	3	-50VH
MJ52	1.5	-52RH
	2	-52TH
	3	-52VH
	4	-52XH
	5	-52ZDH
MJ55	1.5	-55RH
	2	-55TH
	3	-55VH
	4	-55XH
MJ56	2	-56TH
	3	-56VH
	4	-56XH
	5.5	-56ZDH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ58	1.5	-58RH
	2	-58TH
	3	-58VH
	4	-58XH
MJ60	1.5	-60RH
	2	-60TH
	3	-60VH
	4	-60XH
	5.5	-60ZDH
MJ62	1.5	-62RH
	2	-62TH
	3	-62VH
	4	-62XH
MJ64	1.5	-64RH
	2	-64TH
	3	-64VH
	4	-64XH
	6	-64OH
	1.5	-65RH
MJ65	2	-65TH
	3	-65VH
	4	-65XH
MJ68	1.5	-68RH
	2	-68TH
	3	-68VH
	4	-68XH
	6	-68OH
MJ70	1.5	-70RH
	2	-70TH
	3	-70VH
	4	-70XH
	6	-70OH
MJ72	1.5	-72RH
	2	-72TH
	3	-72VH
	4	-72XH
	6	-72OH
	1.5	-75RH
MJ75	2	-75TH
	3	-75VH
	4	-75XH
MJ76	1.5	-76RH
	3	-76VH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ76	4	-76XH
	6	-76OH
MJ78	1.5	-78RH
	2	-78TH
	3	-78VH
MJ80	1.5	-80RH
	2	-80TH
	3	-80VH
	4	-80XH
	6	-80OH
MJ82	1.5	-82RH
	2	-82TH
	3	-82VH
MJ85	1.5	-85RH
	2	-85TH
	3	-85VH
	4	-85XH
	6	-85OH
MJ88	1.5	-88RH
MJ90	1.5	-90RH
	2	-90TH
	3	-90VH
	4	-90XH
MJ92	6	-90OH
	1.5	-92RH
MJ95	1.5	-95RH
	2	-95TH
	3	-95VH
	4	-95XH
MJ98	6	-95OH
	1.5	-98RH
MJ100	1.5	-100RH
	2	-100TH
	3	-100VH
	4	-100XH
	6	-100OH
MJ102	1.5	-102RH
MJ105	1.5	-105RH
	2	-105TH
	3	-105VH
	4	-105XH
MJ108	6	-105OH
	1.5	-108RH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ110	1.5	-110RH
	2	-110TH
	3	-110VH
	4	-110XH
	6	-110OH
MJ112	1.5	-112RH
MJ115	1.5	-115RH
	2	-115TH
	3	-115VH
	4	-115XH
	6	-115OH
MJ118	1.5	-118RH
MJ120	1.5	-120RH
	2	-120TH
	3	-120VH
	4	-120XH
	6	-120OH
MJ125	1.5	-125RH
	2	-125TH
	3	-125VH
	4	-125XH
	6	-125OH
MJ130	1.5	-130RH
	2	-130TH
	3	-130VH
	4	-130XH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ135	6	-130OH
MJ135	1.5	-135RH
	2	-135TH
	3	-135VH
	4	-135XH
	6	-135OH
MJ140	1.5	-140RH
	2	-140TH
	3	-140VH
	4	-140XH
	6	-140OH
MJ145	1.5	-145TH
	2	-145TH
	3	-145VH
	4	-145XH
	6	-145OH
MJ150	1.5	-150RH
	2	-150TH
	3	-150VH
	4	-150XH
	6	-150OH
MJ155	3	-155VH
	4	-155XH
MJ160	6	-155OH
MJ160	3	-160VH
	4	-160XH

Size (mm)		Code (4230)
Nominal diameter	Pitch	Class 4H5H
MJ160	6	-160OH
MJ165	3	-165VH
	4	-165XH
	6	-165OH
MJ170	3	-170VH
	4	-170XH
	6	-170OH
MJ175	3	-175VH
	4	-175XH
	6	-175OH
MJ180	3	-180VH
	4	-180XH
	6	-180OH
MJ185	3	-185VH
	4	-185XH
	6	-185OH
MJ190	3	-190VH
	4	-190XH
	6	-190OH
MJ195	3	-195VH
	4	-195XH
	6	-195OH
MJ200	3	-200VH
	4	-200XH
	6	-200OH